

CHUBB


BANKERS TREASURY



THE ULTIMATE IN PHYSICAL SECURITY

THE
ART
OF
SAFE
MAKING

The Chubb Bankers Treasury is a high security safe providing the high degree of burglar protection that today's Banks, Jewellers, Building Societies, and other organisations holding large amounts of cash and valuables demand. The Bankers Treasury was carefully researched and developed with the design emphasis placed on the severity and increasing number of sophisticated tools and attack techniques available to today's criminal. Manufactured using the revolutionary Chubb torch and drill resisting barrier material, the Chubb Bankers Treasury provides excellent resistance to all known practical forms of attack including disc cutters, drills, percussion tools, oxy-acetylene, oxy-arc and explosives.






CHUBB BANKERS TREASURY

CONSTRUCTION

The body consists of inner and outer steel plates enclosing a seamless casting of Chubb Anti-Arc barrier material which coupled with outer body and body lining steel gives a barrier thickness of 68mm. The door has a total thickness of 190mm and consists of inner and outer steel plates enclosing Chubb Anti-Arc material which contains a high concentration of very hard abrasion resistant material providing excellent protection against all forms of mechanical and oxygen cutting tools.

BOLTWORK

The door is secured by 38mm diameter moving bolts which extend from all four sides of the door. When the safe is in the locked position, the unique Chubb isolator completely disconnects the bolt throwing handle from the mechanism. The Bankers Treasury is fitted with glass and other relockers ensuring the bolts remain extended under attack.



LOCKING

The Bankers Treasury is fitted as standard with two high security Chubb locks. Each lock can either be a high security eight lever lock with detachable key bit or a high security four wheel combination lock capable of 100,000,000 differing combinations, which can be fitted with a sight screen and dial check lock.

FITTINGS

Racking accepts the following optional fittings:

HEAVY DUTY SHELVES

LOCKABLE CUPBOARDS

LOCKABLE DRAWERS

DEPOSIT FACILITIES

BASE FIXING

The Bankers Treasury can be prepared for secure base fixing.

FINISH

Attractive light grey spatter finish to suit any environment. The handle, trimplate and key-hole are finished in a warm brown.



DIMENSIONS

MODEL	2215	3420	4620	5520	6428/17	6428/21
Number of bolts around door	10	10	12	14	16	16
External height	788mm (31.0")	1092mm (43.0")	1397mm (55.0")	1626mm (64.0")	1855mm (73.0")	1855mm (73.0")
External width	623mm (24.5")	750mm (29.5")	750mm (29.5")	750mm (29.5")	953mm (37.5")	953mm (37.5")
External depth	674mm (26.5")	775mm (30.5")	775mm (30.5")	775mm (30.5")	724mm (28.5")	826mm (32.5")
External projection of handle	64mm (2.5")	64mm (2.5")	64mm (2.5")	64mm (2.5")	64mm (2.5")	64mm (2.5")
Total external depth with door open at 90°	1220mm (48.1")	1450mm (57.1")	1450mm (57.1")	1450mm (57.1")	1600mm (63.0")	1700mm (67.0")
Internal height	562mm (22.1")	867mm (34.1")	1172mm (46.1")	1400mm (55.1")	1628mm (64.1")	1628mm (64.1")
Internal width	381mm (15.0")	508mm (20.0")	508mm (20.0")	508mm (20.0")	711mm (28.0")	711mm (28.0")
Internal depth	381mm (15.0")	482mm (19.0")	482 (19.0")	482mm (19.0")	430mm (17.0")	530mm (21.0")
Internal volume	81 ltrs (2.9ft ³)	212 ltrs (7.5ft ³)	287 ltrs (10.1ft ³)	343 ltrs (12.1ft ³)	498 ltrs (17.6ft ³)	613 ltrs (21.6ft ³)
Nett Weight (approx.)	810kg (16cwt)	1310kg (26cwt)	1590kg (31.3cwt)	1810kg (35.6cwt)	2350kg (46.3cwt)	2434kg (48cwt)

CHOICE OF FITTINGS

	available	available	available	available	available	available
Shelves	available	available	available	available	available	available
Lockable cupboards (height)	not available	305mm (12")	305mm (12")	305mm (12")	305mm (12") or 584mm (23")	305mm (12") or 584mm (23")
Full width drawer (height)	111mm (4.4")	165mm (6.5")	165mm (6.5")	165mm (6.5")	not available	not available
Pair of drawers side by side (height)	not available	165mm (6.5")	165mm (6.5")	165mm (6.5")	165mm (6.5")	165mm (6.5")

LOCKING


The Bankers Treasury can be fitted with single or dual locks. Either or both of these can be a keylock or a combination lock.

KEYLOCK	COMBINATION LOCK	This is a high security 4 wheel lock capable of being set to 100,000,000 different combinations. It can be fitted with a sight screen and a dial check lock.
This is a high security 8 lever lock. The bit of the lock is detachable from the shaft for convenient safe keeping.	TIMELOCK	

EXPORT PACKAGING

Case height	990mm (40.0")	1290mm (51.0")	1600mm (63.0")	1850mm (73.0")	1040mm (41.0")	1160mm (46.0")
Case width	760mm (30.0")	890mm (35.0")	890mm (35.0")	920mm (36.0")	2010mm (79.0")	2010mm (79.0")
Case depth	860mm (34.0")	980mm (39.0")	980mm (39.0")	1000mm (40.0")	1120mm (44.0")	1120mm (44.0")
Gross weight packed (approx.)	865kg (1907lb)	1400kg (3086lb)	1710kg (3770lb)	1950kg (4290lb)	2553kg (5600lb)	2650kg (5830lb)

U.S. AUTHORIZED SALES OFFICE



Chubb Safe Equipment Company

The Electronics Group **RACAL**

REGISTERED OFFICE

Chubb & Son's Lock and Safe Co Ltd Western Road Bracknell Berkshire

Chubb Safe Equipment Company reserves the right to vary in detail the description and specification contained in this publication without incurring any obligation.



BSI Registration Number FM 1305



BY APPOINTMENT
TO HER MAJESTY THE QUEEN
PATENT LOCK AND SAFE MAKERS



Ref 843/USA

Printed in England