


**Tann**

# **The Diamond Safe**




The British safe built to International standards

**Tann**

**The  
Diamond  
Safe**

THE DIAMOND SAFE is the most powerful in the unbeaten John Tann range of heavy safes.

Not many of these incomparable units are built in the course of a year. They are not in regular production — each safe is individually created with supreme patience and skill. No refinement in security engineering technology is omitted, from massive shell construction of specially cast alloys to sensitive devices actuated automatically by assault.





Price is not mentioned in the designers' terms of reference, for this safe is designed to protect the priceless.

Of necessity the price is high but the last word in security value is provided. The safe resists every form of criminal attack ever employed, and some not yet used.

Size	External dimensions			Internal dimensions			Approx. Weight
	high	wide	deep	high	wide	deep	
58/4620	58"	32"	30½"	46"	20"	16"	3 tons
	1474 mm	813 mm	775 mm	1169 mm	508 mm	407 mm	3048 kg.
82/7024	82"	36"	34½"	70"	24"	20"	5 tons
	2083 mm	915 mm	876 mm	1778 mm	609 mm	508 mm	5080 kg.

#### Body

Total body thickness (sides, top, bottom and back) is 5¾". A composite, metal monolithic cast inner shell of not less than 3" thickness overall is encased in specially compacted and steel mesh reinforced anti-penetration material of at least 2¼" thickness, the outer and inner steel shells are both ¼" thick.

#### Door

Total door thickness is 8½" with a minimum of 5½" of solid metal and ceramic protection over the entire door area.

#### Boltwork

The door is secured by 1½" dia. bright drawn steel sliding bolts at the front, top and bottom, which engage behind rebates which are integral parts of the inner body. The rear edge of the door is secured by fixed bolts which engage behind a similar rebate.

Special highly sensitive devices included in the boltwork mechanism give continual protection should the locks be forcibly disturbed, by explosive or other means.

#### Locks

The boltwork is secured by a Tann high security keylock, supplied complete with stainless steel detachable bitted keys in duplicate. Also one four-wheel combination lock with 100,000,000 changes of combination. This lock is fitted with spyproof dial and dial check lock.

Alternative locking arrangements are available. Time lock can be fitted if required.

#### Furniture, Fittings and Finish

Stainless steel pull handle, handle brackets, and control panel, together with matching black finish of the Combination Lock dial, and keylock escutcheons contrast pleasantly with the two-tone grey safe finish.

Internal side panels provide slotted adjustment for shelves and/or drawers or cupboards.

#### Thermic Lance Deterrent

Special devices to deter attack by this formidable weapon are incorporated.

In line with our policy always to provide the best in security, we reserve the right to incorporate any improvements and alter any specification without prior notice.